











ORBIS® CCT



	EAN	W	Lumen output	Lumen module	K	° (°C)	V~	mA	Hz	DF	⊞(g)	▽(°)	📱
ORBIS 310MM 15W 827-865 CLICK-CCT	4058075651739	15	1000	1700	2700/ 4000/ 6500	-20...+40	220-240	68	50/60	>0.7	0.54	120	12500
ORBIS 410MM 24W 827-865 CLICK-CCT	4058075651753	24	1800	3000	2700/ 4000/ 6500	-20...+40	220-240	105	50/60	>0.7	0.86	120	12500
ORBIS 310MM 17W 827-865 REMOTE-CCT	4058075651715	17	1000	1800	2700- 6500	-20...+40	220-240	113	50/60	>0.7	0.55	120	12500
ORBIS 410MM 25W 827-865 REMOTE-CCT	4058075651777	25	1800	3000	2700- 6500	-20...+40	220-240	171	50/60	>0.7	0.87	120	12500





	
 QR code	ENERGY * X =
	E
	E
	E
	E

	EAN	n	
ORBIS 310MM 15W 827-865 CLICK-CCT	4058075651739	1	AC34651
ORBIS 410MM 24W 827-865 CLICK-CCT	4058075651753	1	AC34653
ORBIS 310MM 17W 827-865 REMOTE-CCT	4058075651715	1	AC34651
ORBIS 410MM 25W 827-865 REMOTE-CCT	4058075651777	1	AC34653



4058075651739
4058075651753



FR
Cet appareil et
ses accessoires
se recyclent



C10449057
G11173661
14.07.2023



LEDVANCE GmbH
Steinerne Furt 62
86167 Augsburg, Germany
www.ledvance.com